

Title	Syntheses of Polymers Having two Different Groups in 2:1 Ratio by Polycondensation
Author(s)	Okano, Masaya; Tokiura, Sohei; Miyasu, Akira; Oda, Ryohei
Citation	Bulletin of the Institute for Chemical Research, Kyoto University (1961), 39(3): 263-263
Issue Date	1961-07-31
URL	<a href="http://hdl.handle.net/2433/75808">http://hdl.handle.net/2433/75808</a>
Right	
Type	Departmental Bulletin Paper
Textversion	publisher

## ABSTRACTS

decarboxylative cleavage of oxazolidone rings in the polymer by refluxing with phosphoric acid followed by an alkaline treatment yielded an anion exchange resin of polyimine type. For example, a brown hard resin, having the exchange capacity of 3.2 meq/g, was, obtained from the addition polymer of tetramethylene diisocyanate with hydroquinone diglycidyl ether.

---

### Syntheses of Polymers Having two Different Groups in 2:1 Ratio by Polycondensation

Masaya OKANO, Sohei TOKIURA, Akira MIYASU  
and Ryohei ODA

*Kobunshi Kagaku (Chemistry of High  
Polymers)* 17, 562 (1960)

Some diesters and diurethanes were prepared by the reactions of N-carbethoxy- $\epsilon$ -aminocaproyl chloride, 5-carbethoxy-pentylisocyanate, or N-carbethoxy-6-aminohexylisocyanate with ethyl  $\epsilon$ -aminocaproate, ethyl  $\epsilon$ -oxycaproate, N-carbethoxyhexamethylenediamine, or N-carbethoxy-6-aminohexanol. They contain one amide, urea, or urethane group in polymethylene linkage between two terminal ester or urethane groups. Syntheses of polymers having the regular structure of -A-A-B-type were attempted by the polycondensation reactions between the compounds described above and aliphatic diamines, diols, or dicarboxylic acids of 6 or 9 carbon atoms. Among hem polyamideureas showed a good fiber-forming property.

---

### Synthesis of Condensation Polymer Having Pyrrolidone Group

Ryohei ODA, Sohei TOKIURA, Fujio MISUMI  
and Masaya OKANO

*Kobunshi Kagaku (Chemistry of High  
Polymers)* 17, 685 (1960)

Some bi-functional compounds containing one or two pyrrolidone rings were synthesized by the reaction of itaconic acid with ethylenediamine, hexamethylenediamine, and N-carbethoxyhexamethylenediamine etc., in water or basic solvent such as pyridine. By the polycondensation reaction between these compounds and aliphatic diamines, the polymers having amide or amide-urea groups were prepared. They have shown fiber-forming property, but are not suitable for textiles owing to their water-soluble property. Compared with polyvinyl-pyrrolidone (Albigen A), these polymers showed somewhat lower stripping power.